



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Indoor air pollution caused by wood-burning in Brazilian and Danish dwellings

Luis Teles de Carvalho, Ricardo; Jensen, Ole Michael; da Cruz Tarelho, Luís António ; Cabral da Silva, Adeildo

Published in:
Environment and Health Perspectives

Publication date:
2013

Document Version
Accepted author manuscript, peer reviewed version

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Luis Teles de Carvalho, R., Jensen, O. M., da Cruz Tarelho, L. A., & Cabral da Silva, A. (2013). Indoor air pollution caused by wood-burning in Brazilian and Danish dwellings. *Environment and Health Perspectives*. <http://ehp.niehs.nih.gov/ehbasel13/o-1-39-02/>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.



Environment and Health –
Bridging South, North, East and West

Conference of ISEE, ISES and ISIAQ
Basel, Switzerland 19 – 23 August 2013



INDOOR AIR POLLUTION CAUSED BY WOOD-BURNING IN BRAZILIAN AND DANISH HOUSEHOLDS

ENVIRONMENT AND HEALTH, BRIDGING SOUTH, NORTH, EAST & WEST
BASEL, SWITZERLAND, AUGUST 2013

*RICARDO L. T. CARVALHO, OLE M. JENSEN,
LUÍS A. C. TARELHO, ADEILDO C. SILVA*

RLC@SBI.AAU.DK



DANISH BUILDING RESEARCH INSTITUTE
AALBORG UNIVERSITY COPENHAGEN



cesam
centro de estudos do ambiente e do mar
universidade de aveiro

FCT Fundação para a Ciência e a Tecnologia
MINISTÉRIO DA EDUCAÇÃO E CIÊNCIA

Domestic wood combustion worldwide

low-cost stoves in low carbon dwellings

Biomass burning can be carbon neutral when performed under optimal lightning and operating conditions

Many different practices by more than 3 billion people worldwide representing one of the major causes of respiratory diseases such as asma and allergies with more than 4 million permature deaths each year, in both developing and developing countries (UNDP, 2011)



Human health
Epidemiological studies
Associated to human exposure
to air pollutants



Sustainability of the globe

- *Desforestation*
- *Energy consumption*
- *Air pollution*



Inefficient residential biomass combustion



Air pollution

Deforestation

Overheating

Indoor air pollution


Respiratory diseases such as pneumonia by inhalation of fine particles and carbon monoxide as well as high indoor temperatures



Small chimneys – big emissions

The Danish Government and the European Commission have separately presented proposals for emission standards for new boilers and stoves. But to achieve noticeable near-term air pollution reductions it is essential to combine such standards with measures for existing installations.

Appropriate domestic biomass use: What is the potential for the mitigation of GHG emissions?



What is the potential/magnitude of the mitigation measures by implementing certain practices including technological innovations and modern fuels in biomass stoves?

Indoor wood smoke in developing regions

- *Latin America, África and Asia are among the developing regions where domestic wood combustion is very popular (3 billion people worldwide)*
- *In Brazil* around 27,2% of the residential energy consumption is associated to the use of wood logs for cooking/heating (cold regions) (BEN, 2013)
- Inefficient domestic biomass burning practices causes overheating and indoor contamination by unburned gases associated to the uncompleted wood combustion in rural housing of northeast Brazil



New efficient combustion chambers have been being developed worldwide in order to optimize the complete biomass combustion towards the reduction of black carbon emissions indoors and outdoors

Wood heating as a resilient practice towards a cozy atmosphere?





Large-scale wood-burning stove program in CE-Brasil/Latin America



Indoor climate in rural households (Brazil)

...when using an improved efficient mass stove?




Mean outdoor temperature 33-35 °C and RH 40-51%


Fine particles in rural households (Brazil)

kitchens of developing regions in northeast Brazil

- House B with a lower ventilation rate in a closed kitchen with no wind brise revealed an higher indoor concentration of fine particles
- The stove chimney exhaust at the house A presented was not working properly due to lacks of cleaning, inadequate installations and the stove walls were leaking the flue gas due to breaks on the brick walls caused by very high temperatures in the brick walls
- Soft wood promotes indoor smoke and a short-term combustion




Field studies in single-family households in CPH (Denmark)




R.L.T. Carvalho, 2013



Indoor climate in a low energy house (Denmark) ...using a certified wood cast-iron stove...




Indoor climate in a Danish single family house (class B) ...using a wood mansory stove...



Inhalable particles in low energy households (Denmark)

- House B and C with a lower ventilation rate and higher air-tightness using Swan labelled cast-iron stoves, respectively, revealed indoor concentrations of PM₁₀ over 150 µg m⁻³ during periods larger than 1 hour (air-exchange rate 33-58 m³h⁻¹)
- Hard wood promotes a long-term combustion for more than 1 hour/cycle
- Even the expert in lightning was not able to mitigate high emission of inhalable particles in class A single-family houses



Conclusions findings worldwide





Environment and Health –
Bridging South, North, East and West

Conference of ISEE, ISES and ISIAQ
Basel, Switzerland 19 – 23 August 2013



THANK YOU FOR YOUR ATTENTION

QUESTIONS?

RLC@SBI.AAU.DK

LOWCARBONRETROFFITING.WORDPRESS.COM



DANISH BUILDING RESEARCH INSTITUTE
AALBORG UNIVERSITY COPENHAGEN



cesam

centro de estudos do ambiente e do mar
universidade de aveiro

FCT Fundação para a Ciência e a Tecnologia

MINISTÉRIO DA EDUCAÇÃO E CIÊNCIA